
T-10-VB T-15-VB Manufactured After March 2007


## **ROUGHING-IN MEASUREMENTS**


Service Sink Fitting with adjustable wall brace, spring checks, integral stops, vacuum breaker, and bucket hook.

Polished chrome finish T-15-VB Rough chrome finish T-10-VB

- Measurements shown are subject to revision or cancellation. Do not use superseded or obsolete leaflets.
- 2. These measurements may vary  $\pm$  1/4" (6 mm) and are for this installation only.
- 3) Flow rate is 2.5 gpm at 60 psi.








Manufactured 9/99 - 3/07

## T-10-VB AND T-15-VB SERVICE SINK FITTING

NO.	QTY. PER	DESCRIPTION
1	1	Service Sink Nozzle
2	1	Vacuum Breaker Body
3	1	Valve Body
4	2	Fibre Washer
5	2	Swivel
6	2	Coupling Nut
7	2	Bushing
8	2	Flange
9	2	Nipple
10	2	I.S. Spindles
11	2	Brass Washer
12	2	Neoprene Packing
13	2	Packing Nut
14	2	P.E. Washer
15	2	Brass Seat
16	2	Valve Spindle
17	2	Hub
18	2	Brass Washer

NO.	QTY. PER	DESCRIPTION
19	2	Neoprene Packing
20	2	Packing Nut
21	2	Zinc Handle
22	2	Handle Screw
23	2	Index
24		
25-N	1	O-Ring
26-N	1	Vacuum Breaker Washer
		Assembly (Plastic)
27-N	1	Vacuum Breaker Hub
28	1	Vacuum Breaker Cap
29-N	1	Vacuum Breaker Screw (Cap)
30	1	Brace Pin (SS)
31	1	Brace Pin (SS)
32	1	Brace Assembly
33	1	Brace Flange
34	2	Wood Screw



## DISTRIBUTED AFTER NOVEMBER 1. 2012 T-10-VB and T-15-VB SERVICE SINK FITTING

NO. Q'TY PER		DESCRIPTION	
12-1	2	BRASS HANDLE SCREW	
12-2	2	POM BUTTON (COLD-BLUE I HOT-RED)	
12-3	2	ZINC LEVER HANDLE	
12-4	2	BRASS PACKING NUT (Part 4 includes	
		5,6,7,8 & 9)	
12-5	2	NSF RUBBER WASHER	
12-8	2	BRASS BONNET NUT	
12-9	2	NSF RUBBER WASHER	
12-10	2	BRASS STEM (COLD-LH/HOT-RH) (Part 10	
		includes 11,12,13 & 14)	
12-11	2	STAINLESS STEEL SPRING	
12-12	2	BRASS SEAT	
12-13	2	NSF RUBBER WASHER	
12-14	2	BRASS SCREW	
12-15	2	BRASS BLOCK (COLD-LH/HOT-RH)	
12-16	2	NSF RUBBER WASHER	
12-17	1	BRASS FAUCET BODY (* Not available as	
		replacement part.)	
12-18	2	RUBBER WASHER	
12-19	2	BRASS INSERT (Part 19 includes 20, 21 & 22)	
12-20	2	BRASS HEX. NUT	
12-21	2	NYLON RING	
12-22	2	BRASS OFFSET FLANGE	
12-23	2	BRASS STOP BLOCK (Part 23 includes	
		24,25,26,27 & 28)	
12-24	2	RUBBER O-RING	
12-25	2	RUBBER O-RING	

NO. Q'TY PER			
12-26	2	BRASS STEM	
12-27	2	RUBBER WASHER	
12-28	2	BRASS SCREW	
12-29	1	SILICON RING (Part 29 includes 30,31,32	
		& 33)	
12-30	1	P.P PISTON (FLOAT)	
12-31	1	SILICON DISK SEAL	
12-32	1	RUBBER O-RING	
12-33	1	PLASTIC INSERT	
12-34	1	BRASS COVER PLATE	
12-35	1	ALUMINUM NAME PLATE	
12-36	2	STAINLESS STEEL SCREW	
12-37	1	BRASS VACUUM BREAKER BODY (* Not	
		available as replacement part.)	
12-39	1	BRASS SPOUT (* Not available as	
		replacement part.)	
12-40	1	STEEL SPRING PIN (* Not available as	
		replacement part.)	
12-41	1	STAINLESS BRASS CONNECTOR (* Not	
		available as replacement part.)	
12-42	1	BRASS WALL BRACE (Part 42 includes 43	
		& 44)	
12-43	1	ZINC WALL FLANGE	
12-44	1	STAINLESS STEEL SPRING PIN	
12-45	2	STAINLESS STEEL WALL SCREW	
12-46	2	PLASTIC ANCHOR	
12-47	2	RUBBER O-RING	

