

MODEL 4300, 4400 & 4430 ECONOMY DRINKING FOUNTAINS

Appropriate for playgrounds, shopping areas or any high traffic area where cost is a consideration. Standard features include chrome-plated brass bubbler locked to stainless steel receptor. Fountain has a cross-arm, self-closing, chrome-plated valve and a 12" diameter floor flange which gives it an exceptionally sturdy mounting base. Equipped with automatic flow regulation.

The Model 4300 has a lever handle, the Model 4400 is a surface mount with a push button, and the Model 4430 is a surface mount with a lever handle.


FEATURES -

- Column is fabricated from one piece steel pipe and all exposed parts are recessed in welded steel plates (4400 and 4430)
- Mounting plate comes standard
- Access plates are vandal resistant and provide easy maintenance
- Steel bubbler guard(s) and chrome plated brass bubbler
- Adjustable flow regulation
- 18 gauge brush finished stainless steel receptor with a vandal resistant chrome plated brass drain plug
- Stainless steel supply fittings connected to reinforced tubing
- In-line mesh screen strainer
- Delivers 8.0 GPH of chilled water refreshment
- Supply complete with 1/2" IPS lock shield screwdriver stop
- 1-1/4" IPS waste pipes included with every fountain





ORDERING OPTIONS



^{*}A maximum of 3 options may be added to a fountain.

DIMENSIONS -

All dimensions subject to manufacturing variance of plus or minus 1/4" (6 mm)


4300 35"H x 12" Dia. base /

4400 36"H x 12" Dia. base / Single with surface mount


4430 36"H x 12" Dia. base / Single with surface mount with level handle



4300 -



4400 -





4430 -

