

MODEL 4700 BARRIER-FREE DRINKING FOUNTAINS

The Model 4700 is both an economic and high quality choice. This fountain is great for playgrounds or any high traffic area where cost is a consideration. Enjoy chilled water and a sophisticated, contemporary design.

ADA Compliant

- -FP are frost proof models.It is recommended that a dual check valve backflow prevention be installed in the waterline going to any FP fountain
- -FPS are sanifrost models which will not allow stored water to re-enter the bubbler.

FEATURES -

- Mounting plate and stainless steel bottom plate come standard
- Access plates are vandal resistant and provide easy maintenance
- Push button chrome plated brass valve recessed in 3/8" steel plate
- Steel bubbler guard(s) and chrome plated brass bubbler
- Adjustable flow regulation
- 18 gauge brush finished stainless steel receptor with a vandal resistant chrome plated brass drain plug
- Stainless steel supply fittings connected to reinforced tubing
- Woodland green powder coat finish only
- In-line mesh screen strainer
- Delivers 8.0 GPH of chilled water refreshment
- Supply complete with 1/2" IPS lock shield screwdriver stop
- 1-1/4" IPS waste pipes included with every fountain





ORDERING OPTIONS -

Part Number **4700**-

—	—	—
Optional	Optional	Optional
Ss: Stainless steel finish	SS: Stainless steel finish	Ss: Stainless steel finish
☐ 31: Chrome Plated Jug Filler	☐ 31: Chrome Plated Jug Filler	31: Chrome Plated Jug Filler
☐ 32: RCP Hose bibb with VB	☐ 32: RCP Hose bibb with VB	32: RCP Hose bibb with VB
☐ 32-LK: RCP Hose bibb with VB and Key	32-LK: RCP Hose bibb with VB and Key	☐ 32-LK: RCP Hose bibb with VB and Key
☐ 32-SC: Self Closing Hose bibb with VB	\square 32-SC: Self Closing Hose bibb with VB	\square 32-SC: Self Closing Hose bibb with VB
☐ 34: Frost Proof Jug Filler	34: Frost Proof Jug Filler	34: Frost Proof Jug Filler
☐ 36: Push Button Jug Filler	☐ 36: Push Button Jug Filler	34-FPS: Sanifrost Jug Filler
☐ 37: Foot Spray	☐ 37: Foot Spray	☐ 36: Push Button Jug Filler
☐ 38: Shutdown/Drain Valve	☐ 38: Shutdown/Drain Valve	☐ 37: Foot Spray
☐ 40: Commemorative Plaque	40: Commemorative Plaque	38: Shutdown/Drain Valve
☐ 84: Water Filter	84: Water Filter	☐ 40: Commemorative Plaque
☐ 87: Metal Valve Box	☐ 85: Valve box (Recommended for FP)	☐ 84: Water Filter
☐ 95: Sand Trap	☐ 87: Metal Valve Box	☐ 85: Valve box (Recommended for FP)
☐ 96: Sand Strainer Plate	☐ 95: Sand Trap	☐ 87: Metal Valve Box
☐ SMP-10: Surface Mounting Plate	☐ 96: Sand Strainer Plate	☐ 95: Sand Trap
	SMP-10: Surface Mounting Plate	☐ 96: Sand Strainer Plate
		☐ SMP-10: Surface Mounting Plate

4700-FDS-

4700-FD-

DIMENSIONS —

All dimensions subject to manufacturing variance of plus or minus 1/4" (6 mm)

4700 34-3/4"H x 36W with 12" Dia. Base / Single with surface mount

^{*}A maximum of 3 options may be added to a fountain.



4700

