

MODEL 5700 & 5725-MWL DUAL PEDESTAL DRINKING FOUNTAINS

Striking design with clean, sleek lines. Designed to defy the elements, resist vandals, and stand up to hard use, The Model 5700 fountain is available as both a pedestal and as a wall mounted fixture.

ADA Compliant

-FP are frost proof models.

-FPS are sanifrost models which will not allow stored water to re-enter the bubbler.

It is recommended that a dual check valve backflow prevention be installed in the waterline going to any FP fountain.

FEATURES

- Column is fabricated from one piece steel pipe and all exposed parts are recessed in welded steel plates
- Mounting plate and stainless steel bottom plate come standard
- Access plates are vandal resistant and provide easy maintenance
- Push button chrome plated brass valve recessed in 3/8" steel plate
- Steel bubbler guard(s) and chrome plated brass bubbler
- Adjustable flow regulation
- Heavy 3/8" sheet steel arm
- 18 gauge brush finished stainless steel receptor with a vandal resistant chrome plated brass drain plug
- Stainless steel supply fittings connected to reinforced tubing
- Woodland green powder coat finish with optional colors and stainless steel (-SS) available
- In-line mesh screen strainer
- 10-3/4" diameter steel pipe(s) with 3/16" wall thickness
- Delivers 8.0 GPH of chilled water refreshment
- Supply complete with 1/2" IPS lock shield screwdriver stop
- 1-1/4" IPS waste pipes included with every fountain



(Shown above) Model 5700

ORDERING OPTIONS

Part Number

5700-



Optional

- ☐ **SS:** Stainless steel finish
- ☐ **31:** Chrome Plated Jug Filler
- ☐ **32:** RCP Hose bibb with VB
- ☐ **32-LK:** RCP Hose bibb with VB and Key
- ☐ **32-SC:** Self Closing Hose bibb with VB
- ☐ **34:** Frost Proof Jug Filler
- ☐ **35-VP:** Recessed Hose Bibb with Lock
- ☐ **36:** Push Button Jug Filler
- ☐ **37:** Foot Spray
- ☐ **38:** Shutdown/Drain Valve
- ☐ **40:** Commemorative Plaque
- ☐ **84:** Water Filter
- ☐ **85:** Valve box (Recommended for FP)
- ☐ **87:** Metal Valve Box
- ☐ **90:** Pet Fountain attached
- ☐ **90-SS:** Stainless Steel
- ☐ **95:** Sand Trap
- ☐ **96:** Sand Strainer Plate
- ☐ **SMP-10:** Surface Mounting Plate

5700-FP-



Optional

- ☐ **SS:** Stainless steel finish
- ☐ **31:** Chrome Plated Jug Filler
- ☐ **32:** RCP Hose bibb with VB
- ☐ **32-LK:** RCP Hose bibb with VB and Key
- ☐ **32-SC:** Self Closing Hose bibb with VB
- ☐ **34:** Frost Proof Jug Filler
- ☐ **35-VP:** Recessed Hose Bibb with Lock
- ☐ **36:** Push Button Jug Filler
- ☐ **37:** Foot Spray
- ☐ **38:** Shutdown/Drain Valve
- ☐ **40:** Commemorative Plaque
- ☐ **84:** Water Filter
- ☐ **85:** Valve box (Recommended for FP)
- ☐ **87:** Metal Valve Box
- ☐ **90:** Pet Fountain attached
- ☐ **90-SS:** Stainless Steel
- ☐ **95:** Sand Trap
- ☐ **96:** Sand Strainer Plate
- ☐ **SMP-10:** Surface Mounting Plate


5700-FPS-



Optional

- ☐ **SS:** Stainless steel finish
- ☐ **31:** Chrome Plated Jug Filler
- ☐ **32:** RCP Hose bibb with VB
- ☐ **32-LK:** RCP Hose bibb with VB and Key
- ☐ **32-SC:** Self Closing Hose bibb with VB
- ☐ **34:** Frost Proof Jug Filler
- ☐ **34-FPS:** Sanifrost Jug filler
- ☐ **35-VP:** Recessed Hose Bibb with Lock
- ☐ **36:** Push Button Jug Filler
- ☐ **37:** Foot Spray
- ☐ **38:** Shutdown/Drain Valve
- ☐ **40:** Commemorative Plaque
- ☐ **84:** Water Filter
- ☐ **85:** Valve box (Recommended for FP)
- ☐ **87:** Metal Valve Box
- ☐ **90:** Pet Fountain attached
- ☐ **90-SS:** Stainless Steel
- ☐ **95:** Sand Trap
- ☐ **96:** Sand Strainer Plate
- ☐ **SMP-10:** Surface Mounting Plate

5725-MWL-



Optional

- | | | |
|---|--|--|
| <input type="checkbox"/> SS: Stainless steel finish | <input type="checkbox"/> 36: Push Button Jug Filler | <input type="checkbox"/> 90: Pet Fountain attached |
| <input type="checkbox"/> 31: Chrome Plated Jug Filler | <input type="checkbox"/> 37: Foot Spray | <input type="checkbox"/> 90-SS: Stainless Steel |
| <input type="checkbox"/> 32: RCP Hose bibb with VB | <input type="checkbox"/> 38: Shutdown/Drain Valve | <input type="checkbox"/> 95: Sand Trap |
| <input type="checkbox"/> 32-LK: RCP Hose bibb with VB and Key | <input type="checkbox"/> 40: Commemorative Plaque | <input type="checkbox"/> 96: Sand Strainer Plate |
| <input type="checkbox"/> 32-SC: Self Closing Hose bibb with VB | <input type="checkbox"/> 84: Water Filter | <input type="checkbox"/> SMP-10: Surface Mounting Plate |
| <input type="checkbox"/> 34: Frost Proof Jug Filler | <input type="checkbox"/> 85: Valve box (Recommended for FP) | |
| <input type="checkbox"/> 35-VP: Recessed Hose Bibb with Lock | <input type="checkbox"/> 87: Metal Valve Box | |

*A maximum of 3 options may be added to a fountain.



DIMENSIONS

All dimensions subject to manufacturing variance of plus or minus 1/4" (6 mm)


5700 40"H x 10-3/4"W x 30-3/4"L

5725-MWL 43-1/4"H x 10-3/4" W x 25-3/8 L

5700



NOTE: FOUR 1/2" O.D. MOUNTING BOLTS SPACED ON 13" DIA. BY OTHERS



5700-FP

