

MODEL 5925 TRIPLE PEDESTAL DRINKING FOUNTAINS

Striking design with clean, sleek lines. Designed to defy the elements, resist vandals, and stand up to hard use, The Model 5925 fountain is available with three drinking fountains on one pedestal.

ADA Compliant

-FP are frost proof models. It is recommended that a dual check valve backflow prevention be installed in the waterline going to any FP fountain.

FEATURES

- Column is fabricated from one piece steel pipe and all exposed parts are recessed in welded steel plates
- Mounting plate and stainless steel bottom plate come standard
- Access plates are vandal resistant and provide easy maintenance
- Push button chrome plated brass valve recessed in 3/8" steel plate
- Steel bubbler guard(s) and chrome plated brass bubbler
- Adjustable flow regulation
- Heavy 3/8" sheet steel arm
- 18 gauge brush finished stainless steel receptor with a vandal resistant chrome plated brass drain plug
- Stainless steel supply fittings connected to reinforced tubing
- Woodland green powder coat finish with optional colors and stainless steel (-SS) available
- In-line mesh screen strainer
- 10-3/4" diameter steel pipe(s) with 3/16" wall thickness
- Delivers 8.0 GPH of chilled water refreshment
- Supply complete with 1/2" IPS lock shield screwdriver stop
- 1-1/4" IPS waste pipes included with every fountain



ORDERING OPTIONS

Part Number

5925-



Optional

- ☐ **SS:** Stainless steel finish
- ☐ **31:** Chrome Plated Jug Filler
- ☐ **32:** RCP Hose bibb with VB
- ☐ **32-LK:** RCP Hose bibb with VB and Key
- ☐ **32-SC:** Self Closing Hose bibb with VB
- ☐ **34:** Frost Proof Jug Filler
- ☐ **35-VP:** Recessed Hose Bibb with Locking Cover
- ☐ **36:** Push Button Jug Filler
- ☐ **37:** Foot Spray
- ☐ **38:** Shutdown/Drain Valve
- ☐ **40:** Commemorative Plaque
- ☐ **84:** Water Filter
- ☐ **85:** Valve Box (Recommended for -FP)
- ☐ **87:** Metal Valve Box
- ☐ **90:** Pet Fountain attached
- ☐ **90-FP:** Frost Proof
- ☐ **90-SS:** Stainless Steel
- ☐ **90-SS-FP:** Frost Proof
- ☐ **95:** Sand Trap
- ☐ **96:** Sand Strainer Plate
- ☐ **SMP-10:** Surface Mounting Plate

5925-FP-



Optional


- ☐ **SS:** Stainless steel finish
- ☐ **31:** Chrome Plated Jug Filler
- ☐ **32:** RCP Hose bibb with VB
- ☐ **32-LK:** RCP Hose bibb with VB and Key
- ☐ **32-SC:** Self Closing Hose bibb with VB
- ☐ **34:** Frost Proof Jug Filler
- ☐ **35-VP:** Recessed Hose Bibb with Locking Cover
- ☐ **36:** Push Button Jug Filler
- ☐ **37:** Foot Spray
- ☐ **38:** Shutdown/Drain Valve
- ☐ **40:** Commemorative Plaque
- ☐ **84:** Water Filter
- ☐ **85:** Valve Box (Recommended for -FP)
- ☐ **87:** Metal Valve Box
- ☐ **90:** Pet Fountain attached
- ☐ **90-FP:** Frost Proof
- ☐ **90-SS:** Stainless Steel
- ☐ **90-SS-FP:** Frost Proof
- ☐ **95:** Sand Trap
- ☐ **96:** Sand Strainer Plate
- ☐ **SMP-10:** Surface Mounting Plate

*A maximum of 3 options may be added to a fountain.

DIMENSIONS

All dimensions subject to manufacturing variance of plus or minus 1/4" (6 mm)

5925 40"H x 10-3/4"W x 50-3/4"L / Triple with surface mount



5925-90

