

## MODEL 7000 & 7100 PEDESTAL JUG FILLERS AND HOSE BIBBS

Access water wherever you need it with Stern-Williams' collection of jug fillers, hose bibbs, and foot sprays on mid-height pedestals. The deep, rich Sky Blue color and scratch resistant finish make these an excellent choice for resorts, playgrounds and recreational areas.

Model 7000 is surface mounted fountains with mounting plate welded to pedestal. Model 7000-MWL is also available as a wall-mounted model.

Model 7100 is a 14" in-grounded bury with welded supports to be poured in 4" concrete slab.

### FEATURES

- Column is fabricated from one piece steel pipe and all exposed parts are recessed in welded steel plates
- Mounting plate comes standard
- Access plates are vandal resistant and provide easy maintenance
- Push button chrome plated brass valve recessed in 3/8" steel plate
- Stainless steel supply fittings connected to reinforced tubing
- Blue powder coat finish with optional colors and stainless steel (-SS) available
- 6-5/8" diameter steel pipe with 1/8" wall thickness
- Delivers 8.0 GPH of chilled water refreshment
- Supply complete with 1/2" IPS lock shield screwdriver stop
- 1-1/4" IPS waste pipes included with every fountain



(Shown above) Model 7000-35-VP

## ORDERING OPTIONS

Part Number

# 7000-



### Optional

- ☐ **SS:** Stainless steel finish
- ☐ **31:** Chrome Plated Self-closing Jug Filler
- ☐ **32:** RCP Compression Type, Hose bibb with VB
- ☐ **32-LK:** RCP Compression Type, Hose bibb with VP and Loose Key
- ☐ **32-VP:** Key operated cover
- ☐ **34:** Frost Proof Jug Filler
- ☐ **34-FPS:** Sanifrost Jug Filler
- ☐ **35-VP:** Recessed Lock Box with Key Operated Cover
- ☐ **36:** Push Button Jug Filler
- ☐ **SMP-6:** Surface Mounting Plate

# 7100-



### Optional

- ☐ **SS:** Stainless steel finish
- ☐ **31:** Chrome Plated Self-closing Jug Filler
- ☐ **32:** RCP Compression Type, Hose bibb with VB
- ☐ **32-LK:** RCP Compression Type, Hose bibb with VP and Loose Key
- ☐ **32-VP:** Key operated cover
- ☐ **36:** Push Button Jug Filler
- ☐ **SMP-6:** Surface Mounting Plate

\*A maximum of 3 options may be added to a fountain.


## DIMENSIONS

All dimensions subject to manufacturing variance of plus or minus 1/4" (6 mm)


**7000** 32"H x 4-1/2"Dia

**7100** 46"H x 4-1/2"Dia


**7000-31 & 7100-31**




**7000-32 & 7100-32**



## 7000-32-VP & 7100-32-VP



## 7000-34 & 7100-34




**NOTE: 1) Used with inground valve system SW-PBFP (7000-34) and SNW-PBFP (7000-34-FPS)**

**2) Drain must be provided for 7000-34-FPS and 7100-34-FPS**



**7000-35-VP & 7100-35-VP**



## 7000-MWL-36

