

MODEL ADF-3900-C & ADF-3901-C

TRIPLE AGGREGATE FOUNTAIN

These all-purpose fountains are ideal for high traffic and maintain a great finish in rough environments. Delivers 8.0 GPH of chilled water refreshment. Surface type with mounting plate welded to pedestal.

- -FP are frost proof models. It is recommended that a dual check valve backflow prevention be installed in the waterline going to any FP fountain.
- -FPS are sanifrost models which will not allow stored water to re-enter the bubbler.

FEATURES

- Mounting plate and stainless steel bottom plate come standard
- Access plates are vandal resistant and provide easy maintenance
- Push button valve, centered on vandal resistant stainless steel access plate
- Steel bubbler guard(s) and chrome plated brass bubbler
- 18 gauge brush finished stainless steel receptor with a vandal resistant chrome plated brass drain plug
- Stainless steel supply fittings connected to reinforced tubing
- Delivers 8.0 GPH of chilled water refreshment
- Available in single, double or triple fountain styles (See APF-3500 or ADF-3900)
- Supply complete with 1/2" IPS lock shield screwdriver stop
- 1-1/4" IPS waste pipes included with every fountain



(Shown above) Model ADF-3900



ORDERING OPTIONS —

Part Number

ADF-3900-C	ADF-3900-C-FP	ADF-3900-C-FPS
+	—	+
Optional 31: Chrome Plated Self-closing Jug Fille	Optional r 31: Chrome Plated Self-closing Jug Filler	Optional 31: Chrome Plated Self-closing Jug Filler
32: RCP Hose bibb with VB	32: RCP Hose bibb with VB	32: RCP Hose bibb with VB
☐ 32-LK: RCP Hose bibb with VB and Loose Key	32-LK: RCP Hose bibb with VB and Loose Key	32-LK: RCP Hose bibb with VB and Loose Key
32-SC: Self Closing Hose bibb with VB	32-SC: Self Closing Hose bibb with VB	32-SC: Self Closing Hose bibb with VB
33-VP: Hose bibb with lock box	33-VP: Hose bibb with lock box	33-VP: Hose bibb with lock box
34: Frost Proof Jug Filler	34: Frost Proof Jug Filler	☐ 34-FPS: Sanifrost Jug Filler
☐ 35-VP: Recessed Hose Bibb with Locking Cover	35-VP: Recessed Hose Bibb with Locking Cover	35-VP: Recessed Hose Bibb with Locking Cover
36: Push Button Jug Filler	36: Push Button Jug Filler	☐ 36: Push Button Jug Filler
37: Foot spray	37: Foot spray	☐ 37: Foot spray
38: Shutdown/Drain Valve	38: Shutdown/Drain Valve	38: Shutdown/Drain Valve
☐ 40: Commemorative plaque	40: Commemorative plaque	☐ 40: Commemorative plaque
42: S.S. bubbler guard	42: S.S. bubbler guard	42: S.S. bubbler guard
☐ 65: Matching step	☐ 65: Matching step	☐ 65: Matching step
☐ 84: Water filter	☐ 84: Water filter	☐ 84: Water filter
☐ 85: Valve Box (Recommended for -FP)	☐ 85: Valve Box (Recommended for -FP)	☐ 85: Valve Box (Recommended for -FP)
94: Pet fountain	94: Pet fountain	☐ 94: Pet fountain
94-FP: Frost proof	94-FP: Frost proof	94-FPS: Sanifrost
☐ 95: Sand trap	☐ 95: Sand trap	☐ 95: Sand trap
☐ 96: Sand strainer plate	96: Sand strainer plate	☐ 96: Sand strainer plate
SMP-12S: Surface mounting plate	SMP-12S: Surface mounting plate	SMP-12S: Surface mounting plate

^{*}A maximum of 3 options may be added to a fountain.



ORDERING OPTIONS -

Part Number

-	-	-
Optional	Optional	Optional
☐ 31: Chrome Plated Self-closing Jug Filler	☐ 31: Chrome Plated Self-closing Jug Filler	☐ 31: Chrome Plated Self-closing Jug Filler
☐ 32: RCP Hose bibb with VB	☐ 32: RCP Hose bibb with VB	32: RCP Hose bibb with VB
32-LK: RCP Hose bibb with VB and Loose Key	32-LK: RCP Hose bibb with VB and Loose Key	32-LK: RCP Hose bibb with VB and Loose Key
32-SC: Self Closing Hose bibb with VB	32-SC: Self Closing Hose bibb with VB	32-SC: Self Closing Hose bibb with VB
33-VP: Hose bibb with lock box	33-VP: Hose bibb with lock box	33-VP: Hose bibb with lock box
34: Frost Proof Jug Filler	34: Frost Proof Jug Filler	34-FPS: Sanifrost Jug Filler
☐ 35-VP: Recessed Hose Bibb with Locking Cover	☐ 35-VP: Recessed Hose Bibb with Locking Cover	☐ 35-VP: Recessed Hose Bibb with Locking Cover
36: Push Button Jug Filler	36: Push Button Jug Filler	36: Push Button Jug Filler
37: Foot spray	37: Foot spray	37: Foot spray
38: Shutdown/Drain Valve	38: Shutdown/Drain Valve	38: Shutdown/Drain Valve
☐ 40: Commemorative plaque	☐ 40: Commemorative plaque	40: Commemorative plaque
42: S.S. bubbler guard	42: S.S. bubbler guard	42: S.S. bubbler guard
☐ 65: Matching step	☐ 65: Matching step	☐ 65: Matching step
☐ 84: Water filter	☐ 84: Water filter	☐ 84: Water filter
☐ 85: Valve Box (Recommended for -FP)	☐ 85: Valve Box (Recommended for -FP)	☐ 85: Valve Box (Recommended for -FP)
☐ 94: Pet fountain	☐ 94: Pet fountain	94: Pet fountain
94-FP: Frost proof	94-FP: Frost proof	94-FPS: Sanifrost
☐ 95: Sand trap	☐ 95: Sand trap	☐ 95: Sand trap
☐ 96: Sand strainer plate	☐ 96: Sand strainer plate	☐ 96: Sand strainer plate
SMP-12S: Surface mounting plate	SMP-12S: Surface mounting plate	☐ SMP-12S: Surface mounting plate

ADF-3901-C- ADF-3901-C-FP- ADF-3901-C-FPS-

DIMENSIONS —


All dimensions subject to manufacturing variance of plus or minus 1/4" (6 mm)

ADF-3900-C 40"H x 12"W x 48"L with 15" / square base, Colorama, light etched **ADF-3901-C** 40"H x 12"W x 48"L with 15" / square base, Colorama, medium etched

^{*}A maximum of 3 options may be added to a fountain.



ADF-3900





ADF-3900-94

