

## MODEL 4300, 4400 & 4430 ECONOMY DRINKING FOUNTAINS

Models are great for playgrounds, shopping areas or any high traffic areas where cost is a consideration. Standard features include chrome-plated brass bubbler locked to stainless steel receptor.

The Model 4300 has a self-closing chrome-plated lever valve handle, the Model 4400 is a surface mount with a push button, and the Model 4430 is a surface mount with a lever handle bubbler.

### FEATURES

- All steel heavy-duty construction with welded and ground joints for a clean and tidy appearance (4400 and 4430)
- Stainless Steel (-SS) bodies available for harsh coastal environments
- Vandal resistant access plates for security and simple future maintenance
- Optional mounting plates available for installation assistance
  - **SMP-6:** Surface mounting plate
  - **IBA-6:** In-ground mounting plate
- Fountain Bowl is heavy duty 18 gauge stainless steel with brushed finish and vandal-resistant chrome plated brass strainer. A drain tool is included with each fountain.
- All flow paths are lead-free with reinforced stainless-steel tubing that complies with NSF/ANSI/CAN 61: Q≤1 (AB100) standards.
- Stainless steel supply fittings connected to reinforced tubing.
- In-line mesh screen Y strainer.
- ½” Inlet stop valve for simple future maintenance.
- 1-1/4” IPS waste pipes included with every fountain.
- Standard Woodland Green Finish with Optional colors.



(Shown above) Model 4400

## ORDERING OPTIONS

### 4400-



**Optional**

- SS:** Stainless Steel Body Upgrade
- 85:** Valve Box
- 87:** Metal in Ground Valve Box
- 96:** Sand Strainer Plate
- SMP-6:** Surface Mounting Plate
- IBA-6:** In-Ground Bury Adapter

### 4430-



**Optional**

- SS:** Stainless Steel Body Upgrade
- 85:** Valve Box
- 87:** Metal in Ground Valve Box
- 96:** Sand Strainer Plate
- SMP-6:** Surface Mounting Plate
- IBA-6:** In-Ground Bury Adapter

\*A maximum of 3 options may be added to a fountain.

## DIMENSIONS

All dimensions subject to manufacturing variance of plus or minus 1/4" (6 mm)

**4300** 35"H x 12" Dia. base /



**4400** 36"H x 12" Dia. base / Single with surface mount

**4430** 36"H x 12" Dia. base / Single with surface mount with level handle

## SPEC

Furnish and install Stern-Williams Economy Drinking Fountain (specify model # and options). Drinking fountains shall be carbon steel or 304 stainless steel and a powder coated finish with either the standard Woodland Green or optional colors. Chrome plated brass bubblers shall have a water pressure range of 30-80 PSI. Welded anchor base shall be 1/2" thick. Fountains shall be installed per manufacturers recommendations and instructions. Drinking fountain flow paths are lead-free with reinforced stainless-steel tubing that complies with NSF/ANSI/CAN 61: Q≤1 (AB100) standards. Made in the USA.

**SMP-6**



- 12-13 x 1" LNG BH SKT CP Screw SS
- 1/2" Lock Washer SS
- Flat Washer, SS 1/2"

**4300**

