

MODEL SC-32, SC-36, SC-38, SC-39 & SC-40

COMPLETE SHOWER CABINET STANDARD MODELS

Available in Front and Double Entry as well as Neo-Corner

FEATURES

- Specify R or L hand drilling.
- Models include a Terrazzo Shower Floor
- Includes the SC-140-SS pressure-balanced mixing valve, which includes integrated service stops for maintenance ease
- Durable, white powder-coated metal panels
- Built in soap dish included



(Shown above) Model SC-40

DIMENSIONS

All dimensions subject to manufacturing variance of plus or minus 1/4" (6 mm)

- SC-32** 32x32x82" Front entry.
- SC-36** 36x36x82" Front entry.
- SC-38** 36x36x82" Double entry.
- SC-39** 36x36x82" Double entry corner type.
- SC-40** 40x40x82" Neo-corner.



ORDERING OPTIONS

Part Number


SC-32-



Package Options:

- ☐ **SC-32:** Complete Shower Package, Front Entry
- ☐ **SC-32-B:** Shower Base only
- ☐ **SC-32-HDP:** Complete Shower Package, High Density Polymer Walls
- ☐ **SC-32-HDP-NV:** Complete Shower Package, High Density Polymer Walls, Less Valve
- ☐ **SC-32-NV:** Complete Shower Package, Less Valve
- ☐ **SC-32-SS-NV:** Complete Shower Package, Stainless Steel Walls, Less Valve
- ☐ **SC-32-WLS:** Wall Package, White Powder Coat
- ☐ **SC-32-WLS-HDP:** Wall Package, High Density Polymer (White)
- ☐ **SC-32-WLS-SPC:** Wall Package, Solid Phenolic Core
- ☐ **SC-32-WLS-SS:** Wall Package, Stainless Steel

SC-38-



Package Options:

- ☐ **SC-38:** Complete Shower Package, Double Entrance Walk-through
- ☐ **SC-38-B:** Shower Base only

SC-39-



Package Options:

- ☐ **SC-39:** Complete Shower Package, Double Entrance Corner opening
- ☐ **SC-39-B:** Shower Base only

FINISHES KEY FOR WALL PACKAGES (-WLS):

Powder Coat on Galvanized Steel (standard)

SS: Stainless steel

SPC: Solid phenolic core *

HDP: High density polymer*

SC-36-



Package Options:


- ☐ **SC-36:** Complete Shower Package, Front Entry
- ☐ **SC-36-B:** Shower Base only
- ☐ **SC-36-HDP:** Complete Shower Package, High Density Polymer Walls
- ☐ **SC-36-NV:** Complete Shower Package, Less Valve
- ☐ **SC-36-NV-HDP:** Complete Shower Package, High Density Polymer Walls, Less Valve
- ☐ **SC-36-SPC:** Complete Shower Package, Solid Phenolic Core Walls
- ☐ **SC-36-SS:** Complete Shower Package, Stainless Steel Walls
- ☐ **SC-36-SS-NV:** Complete Shower Package, Stainless Steel Walls, Less Valve
- ☐ **SC-36-WLS:** Wall Package, White Powder Coat
- ☐ **SC-36-WLS-HDP:** Wall Package, High Density Polymer (White)
- ☐ **SC-36-WLS-SPC:** Wall Package, Solid Phenolic Core
- ☐ **SC-36-WLS-SS:** Wall Package, Stainless Steel

SC-40-





Package Options:


- ☐ **SC-40:** Complete Shower Package, Neo-Corner
- ☐ **SC-40-B:** Shower Base only
- ☐ **SC-40-HDP:** Complete Shower Package, High Density Polymer Walls
- ☐ **SC-40-NV:** Complete Shower Package, Less Valve
- ☐ **SC-40-SS-NV:** Complete Shower Package, Stainless Steel Walls, Less Valve
- ☐ **SC-40-WLS:** Wall Package, White Powder Coat
- ☐ **SC-40-WLS-HDP:** Wall Package, High Density Polymer (White)
- ☐ **SC-40-WLS-SPC:** Wall Package, Solid Phenolic Core
- ☐ **SC-40-WLS-SS:** Wall Package, Stainless Steel


STANDARD EQUIPMENT FOR FIELD INSTALLATION

KEY NO.	QTY.	DESCRIPTION
1	1	32 x 32" BASE
2	2	1-1/2" x 77-3/16" FRONT PANEL
3	2	27-5/8 x 77-3/16" SIDE PANEL
4	1	27-5/8 x 77-3/16" BACK PANEL
5	4	CORNER JOINT
6	1	TOP FRAME
-	1	ROD AND CURTAIN
-	1	PRESSURE BALANCED VALVE AND HEAD
-	1	SOAP DISH

**OPTIONAL
FILLER
STRIP**

FOR CORRECT INSTALLATION:



1. ESTABLISH PROPER CLEARANCE BETWEEN SHOWER BASE AND WALLS.
2. SET SHOWER BASE ON MORTAR BED AND CAREFULLY LEVEL TO AVOID PROBLEMS OF UNEVEN SUB FLOOR.



STANDARD EQUIPMENT FOR FIELD INSTALLATION

KEY NO.	QTY.	DESCRIPTION
1	1	36 x 36" BASE
2	2	3-5/16" x 77-3/16" FRONT PANEL
3	2	31-5/8 x 77-3/16" SIDE PANEL
4	1	31-5/8 x 77-3/16" BACK PANEL
5	4	CORNER JOINT
6	1	TOP FRAME
-	1	ROD AND CURTAIN
-	1	PRESSURE BALANCED VALVE AND HEAD
-	1	SOAP DISH

FOR CORRECT INSTALLATION:

1. ESTABLISH PROPER CLEARANCE BETWEEN SHOWER BASE AND WALLS.
2. SET SHOWER BASE ON MORTAR BED AND CAREFULLY LEVEL TO AVOID PROBLEMS OF UNEVEN SUB FLOOR.







STANDARD EQUIPMENT FOR FIELD INSTALLATION

KEY NO.	QTY.	DESCRIPTION
1	1	36 x 36" BASE
2	4	3-5/16" x 77-3/16" FRONT PANEL
3	2	31-5/8 x 77-3/16" SIDE PANEL
4	4	CORNER JOINT
5	1	TOP FRAME
-	2	ROD AND CURTAIN
-	1	PRESSURE BALANCED VALVE AND HEAD
-	1	SOAP DISH

FOR CORRECT INSTALLATION:

1. ESTABLISH PROPER CLEARANCE BETWEEN SHOWER BASE AND WALLS.
2. SET SHOWER BASE ON MORTAR BED AND CAREFULLY LEVEL TO AVOID PROBLEMS OF UNEVEN SUB FLOOR.







STANDARD EQUIPMENT FOR FIELD INSTALLATION

KEY NO.	QTY.	DESCRIPTION
1	1	36 x 36" BASE
2	4	3-5/16" x 77-3/16" FRONT PANEL
3	2	31-5/8 x 77-3/16" SIDE PANEL
4	4	CORNER JOINT
5	1	TOP FRAME
-	2	ROD AND CURTAIN
-	1	PRESSURE BALANCED VALVE AND HEAD
-	1	SOAP DISH

FOR CORRECT INSTALLATION:

1. ESTABLISH PROPER CLEARANCE BETWEEN SHOWER BASE AND WALLS.
2. SET SHOWER BASE ON MORTAR BED AND CAREFULLY LEVEL TO AVOID PROBLEMS OF UNEVEN SUB FLOOR.




STANDARD EQUIPMENT FOR FIELD INSTALLATION

KEY NO.	QTY.	DESCRIPTION
1	1	40 x 40" NEO-CORNER BASE
2	1	18-5/8" x 77-3/16" FRONT PANEL
3	1	18-5/8" x 77-3/16" SIDE PANEL
4	2	35-5/8" x 77-3/16" BACK PANEL
5	3	CORNER JOINT
6	1	TOP FRAME
-	1	ROD AND CURTAIN
-	1	PRESSURE BALANCED VALVE AND HEAD
-	1	SOAP DISH

FOR CORRECT INSTALLATION:

1. ESTABLISH PROPER CLEARANCE BETWEEN SHOWER BASE AND WALLS.
2. SET SHOWER BASE ON MORTAR BED AND CAREFULLY LEVEL TO AVOID PROBLEMS OF UNEVEN SUB FLOOR.

